

COLLARD & ROE, P.C.
PATENT, TRADEMARK & COPYRIGHT ATTORNEYS
1077 Northern Boulevard
Roslyn, New York 11576
(516) 365-9802
FAX (516) 365-9805

RECEIVED
CENTRAL FAX CENTER
DEC 13 2005

FACSIMILE TRANSMISSION

DATE: December 13, 2005

NO. OF PAGES INCLUDING COVER PAGE: 11

TO: Examiner D. Isabella
Group: 3738

FAX NO.: (571)273-8300

FROM: Edward J. Callaghan
Reg. No. 46,594


RE: U.S. Serial No. 10/683,754, filed October 10, 2003
Applicant: SCHNEIDER-NIESKINS - 3
(Our Reference: SCHNEIDER-NIESKINS - 3)

If you do not receive all of the pages, please call the above phone number as soon as possible.

MESSAGE:

Enclosed is an Amendment in response to the Second Office Action. Please confirm receipt by facsimile at your earliest convenience. Thank you.

Sincerely yours,
COLLARD & ROE, P.C.


Edward J. Callaghan
Reg. No. 46,594

EJC:ea
Enclosures

This message is intended only for the use of the addressee, and may contain material which is privileged and confidential. If you are not the intended recipient, dissemination of this communication is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone. Thank you.

BEST AVAILABLE COPY

RECEIVED
CENTRAL FAX CENTERPATENTS

DEC 13 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: SCHNEIDER-NIESKINS

SERIAL NO: 10/683,754

EXAMINER: D. Isabella

FILED: October 10, 2003

GROUP: 3738

TITLE: BREAST PROSTHESIS HAVING AN ADHESIVE LAYER

AMENDMENT IN RESPONSE TO SECOND OFFICE ACTIONMAIL STOP AMENDMENT
Honorable Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Second Non-final Office Action dated September 22, 2005, with the due date for response being December 22, 2005, please amend the above-identified patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 6 of this paper.

BEST AVAILABLE COPY